

Inorganic Trace Analysis

Pure confidence





Inorganic Trace Analysis, the measurement of trace concentrations of elements, is more and more commonly performed. The most used techniques include Atomic Absorption Spectroscopy (AAS) and Inductively Coupled Plasma (ICP).

Over the years, Scharlab has developed a whole range of products for this purpose, including standards and ultrapure acids, to guarantee optimum results when analysing inorganic traces by any of the above mentioned techniques.

Atomic Absorption Spectroscopy (AAS)

AAS uses absorption spectroscopy to assess the concentration of an analyte in a sample and requires standards with known analyte content to establish the relationship between the measured absorbance and the analyte concentration. Depending on the atomiser used (flame or graphite tube) AAS can be:

Flame Atomic Absorption Spectroscopy (FAAS)

FAAS uses a flame to dissociate the sample into free atoms. After dissociation, light from a hollow cathode lamp passes through the cloud of atoms and those of interest absorb it at a characteristic wavelength. The amount of light absorbed will be directly proportional to the concentration of the element in the original sample.

The typical detection limits for this technique are around 10-100 ppb.

Graphite Furnace Atomic Absorption Spectroscopy (GFAAS)

In GFAAS, the flame has been replaced by a graphite tube, which is heated to remove the solvents and matrix and disociates the sample. Once it is totally atomised, the atoms are retained in the tube for a longer period of time, which makes the technique's sensitivity significantly higher than that of flame AAS. In this case, the detection limits are usually around 10-100 ppt.

Depending on the technique used, the standards and the quality of the acids needed for optimum results will be different.

ICP

ICP is a technique used for elemental analysis which atomises and ionises the elements of a sample and combines with Optical Emission Spectroscopy (ICP-OES) or Mass Spectroscopy (ICP-MS) for its detection.

Unlike atomic absorption spectroscopy, which usually measures one single element at a time, ICP has the capacity to scan for various elements simultaneously.

ICP-OES

Inductively coupled plasma optical emission spectroscopy (ICP-OES) is a type of emission spectroscopy that uses an argon plasma to atomise and ionise the sample. Once dissociated, the atoms or ions are excited and emit light of a characteristic wavelength. The intensity of this emission is used to calculate the concentration of the element in the sample.

Typical detection limits for this technique are around 1-10 ppb.

ICP-MS

This technique also uses argon plasma to dissociate the sample into atoms and ions, but in this case the mass spectrometer detects the actual ions instead of the light they emit. Once extracted from the plasma, the ions continue to the mass spectrometer, where they are separated according to their atomic mass-charge ratio. In this case, detection limits are usually around 1-10 ppt.





Scharlau Reagent grade Acids

This is the routine used grade for laboratory analytical work and comprises high quality chemicals for laboratory and specialised industrial use. Analytical reagents are in most cases ISO and ACS labelled.

Scharlau reagent grade acids are a competitive choice for inorganic trace analysis by FAAS.

- ♦ Up to 34 elements analysed.
- Available in 1 I and 2,5 I glass bottles and HDPE bottles, and the more concentrated acids are also in safe plasticcoated bottles.

Scharlau Reagent grade Acids with low mercury content

Mercury is a highly toxic contaminant that enters the human food chain through river and sea water. Mercury analysis of fish is performed by means of CVAAS (Cold Vapour Atomic Absorption Spectroscopy). Before the analysis, the samples are digested in mineral acids, which must be mercury-free.

Our low mercury content acids have a guaranteed maximum of 5 ppb of Hg, which is optimum for the determination of mercury.

- Up to 34 elements analysed, each of them has a guaranteed maximum of 500 ppb per element, most of them at levels between 10 and 50 ppb.
- ♦ Available in 1 I and 2,5 I glass bottles.
- ♦ Comply with ACS and ISO.

Description	Art. No.
Acetic acid glacial, ExpertQ®, reagent grade, ACS ISO	AC0353
Hydrochloric acid, 37%, ExpertQ®, reagent grade, ACS, ISO	AC0741
Nitric acid, solution min. 65%, ExpertQ®, reagent grade, ISO Ph Eur	AC1601
Nitric acid 69,5%, ExpertQ®, reagent grade, ACS ISO	AC1600
Sulfuric acid 95-97%, ExpertQ®, reagent grade, ISO	AC2067

Description	Art. No.
Hydrochloric acid, 37%, ExpertQ®, reagent grade, ACS, ISO	AC0730
Nitric acid, min. 69,5%, ExpertQ®, reagent grade, ACS, ISO	AC1607
Nitric acid, solution min. 65% w/w, ExpertQ®, reagent grade, ISO	AC1605
Sulfuric acid, 95-98%, ExpertQ®, reagent grade, ACS, ISO	AC2097






Scharlau AAS Standards

Used as external standards to calibrate AAS equipment, these must have a very accurate concentration.

Our AAS standards are manufactured using high purity elements and acids to guarantee optimum performance and reliable results. They all have a concentration of 1000 ppm of the element.

- Available in 100 and 500 ml HDPE bottles, with the exception of gold and mercury, which is available in glass bottles.
- All traceable to NIST and the number of the standard they are traceable to is available on each Certificate of Analysis.
- ♦ The Certificate of Analysis is always supplied with the product.
- ♦ Tested by gravimetric, volumetric or ICP methods.

Each standard contains the element dissolved in the most suitable matrix.



> Standards of elements not included in this table upon request.



Ultratrace® Ultrapure Acids

Ultrapure reagents are needed in the digestion of solid samples prior to analysis using atomic spectroscopy methods such as ICP or AAS. These techniques have very low detection limits: parts per billion (ppb) or parts per trillion (ppt). It is crucial that the ultrapure acids are free of elements traces.

Scharlab offers **Ultratrace**®, a wide range of ppb-grade and ppt-grade ultrapure reagents for inorganic trace analysis. Ultratrace® comprises extremely pure acids and reagents in two grades:

Ultratrace® ppb grade

Ultratrace® ppt grade

- Outstanding low metal content.
- ♦ Analytical results for more than 60 elements, determined using ICP-MS.
- ♦ Ultratrace® undergo a proprietary purification process.
- Products and bottles are manufactured under trace elemental clean conditions.



Ultratrace® ppb grade

Our ppb grade comprises acids and ammonia, for optimum result when analysing inorganic traces.

- All of them certified at maximum element impurity levels of 1 part per billion (ppb).
- Available in 500 ml and 1 l bottles, and hydrochloric and nitric acid also in 2,5 l bottles.
- All packed in PE bottles with the exception of perchloric acid, which is packed in glass bottles.
- The PE bottles are lighter, safer and more suitable as they do not transfer any elemental impurities into the acids.

1.0	144				م ام
U	itrat	race®	DDI	ora	ıae

Our ppt grade line includes acids, ammonia, hydrogen peroxide and water.

- All of them certified at maximum element impurity levels of 100 part per trillion (ppt).
- All packaged in PTFE, PFA and FEP fluoropolymer bottles with the exception of ammonia and water, which are packed in PE bottles.
- Available in 250 ml and 500 ml bottles, and water in 1 l bottles.
- ♦ The PTFE, PFA and FEP fluoropolymer containers are optimum for maintaining the product in excellent condition during its shelf life.

Description	Art. No.
Acetic acid glacial Ultratrace®, ppb-trace analysis	AC0358
Ammonia, solution 20-22% Ultratrace®, ppb-trace analysis	AM0269
Hydrochloric acid, 37% Ultratrace®, ppb-trace analysis	AC0780
Hydrofluoric acid, 48% Ultratrace®, ppb-trace analysis	AC1061
Nitric acid, 69% Ultratrace®, ppb-trace analysis	AC1617
Perchloric acid, 70% Ultratrace®, ppb-trace analysis	AC1761
Sulfuric acid, 96% Ultratrace®, ppb-trace analysis	AC2114

Description	Art. No.
Acetic acid glacial Ultratrace®, ppt-trace analysis	AC0359
Ammonia, solution 20-22% Ultratrace®, ppt-trace analysis	AM0272
Hydrochloric acid, 35% Ultratrace®, ppt-trace analysis	AC0781
Hydrofluoric acid, 48% Ultratrace®, ppt-trace analysis	AC1062
Hydrogen peroxide, solution 30% w/w (110 vol) Ultratrace®, ppt-trace analysis	HI0143
Nitric acid, 69% Ultratrace®, ppt-trace analysis	AC1618
Sulfuric acid, 96% Ultratrace®, ppt-trace analysis	AC2115
Water Ultratrace®, ppt-trace analysis	AG0016







Scharlau ICP Standards

Used as external standards for the calibration of ICP equipments. Due to its higher sensitivity the ICP technique requires standards of extremely high purity:

- Manufactured with ultra high purity elements and acids, Scharlau ICP standards guarantee optimum performance and reliable results.
- Our ICP standards are prepared starting from elements having a minimum purity of 99.99%, dissolved in ultrapure acids.
- ♦ Directly traceable to the NIST.
- ♦ Produced in an accredited ISO 17025 and ISO Guide 34 laboratory.
- Wide range of single element standards and also multi-element mixtures under request.
- Packed in 100 ml HDPE bottles, previously leached with acid, to ensure the absence of impurities.
- ♦ Translucent bottles: the remaining product is always visible.
- ♦ The Certificate of Analysis is always supplied with the product.
- ♦ Tested by gravimetric, volumetric or ICP methods.

All our ICP standards are made in aqueous matrix.

ICP, just like AAS, is not an absolute technique, so it needs standards of a known concentration of the element/s to be able to determine the concentration of the element present in the original sample.



	ingle 10 ppr				ards soluti	ons				С	ISO 1		E				
Н						5	ohill										Не
Li Ll0064	Be BE0346	arla	. <	O CAPS VAMEOR STATE			7	Main	CER	TIFICA	erial N. I.	B BO0018	С	N	0	F	Ne
Na soooo9	Mg MA0016	andard,	<	O CHS YMBOL			andy (2000)		princes (44 %)	1000000	EOFA	AI AL0754	Si Sl0016	P F00036	S SU0102	CI	Ar
K P00111	Ca CA0181	Sc ES0021	Ti T10366	V VA0076	Cr CR0227	Mn MA0116	Fe HI0291	Co CO0014	Ni NI0126	Cu CO0081	Zn Cl0129	Ga GA0036	Ge GE0072	As AR0156	Se SE0016	Br	Kr
Rb RU0021	Sr ES0181	Y IT0011	Zr Cl0256	Nb NI0071	Mo MO0024	Te constant	Ru RU0063	Rh R00023	Pd PA0066	Ag PL0008	Cd CA0045	In 1N0088	Sn ES0066	Sb AN0445	Te TE0023	ı	Xe
Cs	Ba BA0016	La LA0081	Hf HA0011	Ta	W TU0016	Re RE0078	Os 0S0056	lr IR0011	Pt PT0006	Au OR0063	Hg ME0116	TI TA0031	Pb PL0108	Bi BI0136	Ро	At	Rn
Fr	Ra	Ac	Rf	Db	Take of Hitter of Orice of Orice of Never p	onductivity standard in avoiding a social product in avoiding a social posterior as ones. As portion of the stroduce the element our the used sol. Bh	and solution in a mark second and an arm and second result. Second secon	referrated for size of a second and a second and a second as a sec	Control Courter action of the Courter action	Maret in equipment of where the equipment of white the con- one of the con- on	Cn	Nh	FI	Мс	Lv	Ts	Og
				Ce				Sm	Eu	Gd		Dy		Er		Yb	Lu

SA0211 EU0052 GA0011 Tb

DI1301 Ho

CE0038 Pr

IT0004 LU0016

ER0031 Tm



ICP Standards Single Element 10000 ppm ICP Standard solutions



Н																	He
Li L10065	Be BE0347											B BO0015	С	N	0	F	Ne
Na s00011	Mg MA0017											AI AL0756	Si Sl0014	P F00037	S SU0104	CI	Ar
K PO0103	Ca CA0183	Sc ES0022	Ti Tl0361	V VA0073	Cr CR0224	Mn MA0113	Fe HI0292	Co CO0017	Ni NI0124	Cu CO0082	Zn Cl0131	Ga GA0037	Ge GE0073	As AR0154	Se SE0013	Br	Kr
Rb RU0022	Sr ES0183	Y IT0012	Zr Cl0257	Nb N10072	Mo MO0026	Тс	Ru RU0064	Rh	Pd PA0067	Ag PL0009	Cd CA0043	In 1N0089	Sn ES0067	Sb AN0443	Te TE0024	I	Xe
Cs CE0109	Ba	La LA0082	Hf HA0012	Ta TA0202	W TU0013	Re RE0079	Os 0S0057	lr IR0012	Pt PT0007	Au OR0059	Hg ME0117	TI TA0032	Pb PL0109	Bi BI0132	Po	At	Rn
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	Fl	Мс	Lv	Ts	Og
				Co	D⊭	Nd		Çm.	E	C4		Dv		Ev		Vh	1

	Се	Pr	Nd		Sm	Eu	Gd		Dy		Er		Yb	Lu
La	CE0039	PR0012	NE0065	Pm	SA0212	EU0053	GA0012	Tb	DI1302	Но	ER0032	Tm	IT0005	LU0017

ICP Multielement Standards



Description	Art. No.
ICP multielement calibration standard solution, 26 elements	MU0111
ICP multielement calibration standard solution, 9 elements	MU0112
ICP multielement calibration standard solution, 16 elements	MU0113
ICP multielement calibration standard solution, 4 elements	MU0114

Custom-made ICP standards

We offer the possibility of supplying multi-element standards for ICP-OES and ICP-MS according to customer needs, produced in an ISO 17025 and ISO 17034 accredited laboratory.

Do not hesitate to contact helpdesk@scharlab.com or your commercial agent to receive more information.



Ultrapure Acids: Ordering information

		Description	Packaging	Art. No.
		Acetic acid glacial Ultratrace®, ppb-trace analysis	500 ml	AC03580500
		Ammonia, solution 20-22% Ultratrace®, ppb-trace analysis	500 ml	AM02690500
	4)		500 ml	AC07800500
	Q	Hydrochloric acid, 37% Ultratrace®, ppb-trace analysis	11	AC07801000
	grad		2,5	AC07802500
	5	Hydrofluoric acid, 48% Ultratrace®, ppb-trace analysis	500 ml	AC10610500
	9		500 ml	AC16170500
@	qdd	Nitric acid, 69% Ultratrace®, ppb-trace analysis	11	AC16171000
			2,5	AC16172500
Jltratrace		Perchloric acid, 70% Ultratrace®, ppb-trace analysis	500 ml	AC17610500
ğ		Sulfuric acid, 96% Ultratrace®, ppb-trace analysis	11	AC21141000
<u></u>		Acetic acid glacial Ultratrace®, ppt-trace analysis	250 ml	AC03590250
#		Ammonia, solution 20-22% Ultratrace®, ppt-trace analysis	250 ml	AM02720250
ίο			250 ml	AC07810250
#		Hydrochloric acid, 35% Ultratrace®, ppt-trace analysis	500 ml	AC07810500
	<u>0</u>		11	AC07811000
	grade	Hydrofluoric acid, 48% Ultratrace®, ppt-trace analysis	250 ml	AC10620250
	g	Hydrogen peroxide, solution 30% w/w (110 vol) Ultratrace®, ppt-trace analysis	500 ml	HI01430500
	Ħ		250 ml	AC16180250
	ppt	Nitric acid, 69% Ultratrace®, ppt-trace analysis	500 ml	AC16180500
	_ _		11	AC16181000
		Sulfuric acid, 96% Ultratrace®, ppt-trace analysis	250 ml	AC21150250
		Sullulle acid, 9070 Olliatrace ² , ppt-trace alialysis	500 ml	AC21150500
		Water Ultratrace®, ppt-trace analysis	11	AG00161000

scharlab.com

Scharlab S.L.

Gato Pérez, 33. Pol. Ind. Mas d'en Cisa. 08181 Sentmenat, Barcelona, Spain Tel.: +34 93 715 19 40 - Fax: +34 93 715 27 65 E-mail: helpdesk@scharlab.com

Scharlab Italia S.r.l.

Via Alcide De Gasperi 56. 20070 Riozzo Di Cerro al Lambro (Mi), Italy Tel.: +39 02 9823 0679 / +39 02 9823 6266 Fax: +39 02 9823 0211 / +39 02 9811 9288 E-mail: customerservice@scharlab.it

Scharlab Philippines, Inc.

4/F Unit K, No. 35 Sto. Niño Street corner Roosevelt Ave. Barangay San Antonio, Quezon City 1105, Philippines. Tel. - Fax: + 63 2 529 5726

E-mail: infophilippines@scharlab.ph

Scharlab Brasil S/A

Estrada do Campo Limpo, 780. São Paulo. 05777-000, Brasil Tel.: (11) 5512 5744 - Fax: (11) 5511 9366 E-mail: mkt@scharlab.com.br Download here the brochure

